



## DEPARTMENT OF ENVIRONMENTAL PROTECTION

Isiah Leggett  
County Executive

Lisa Feldt  
Director

July 20, 2015

Martha Hynson, Chief  
Solid Waste Operations Division  
Land Management Administration  
Maryland Department of the Environment  
1800 Washington Blvd., Suite 605  
Baltimore, MD 21230-1719

Re: Gude Landfill – Temporary Piezometer Installation Plan for Review

Dear Ms. Hynson:

This letter follows up my July 20, 2015 e-mail submittal of the temporary piezometer installation plan for studying groundwater elevations at the Gude Landfill. MDE had requested the opportunity to review this plan in their July 6, 2015 letter approving the revised schedule for submitting the revisions to the Gude Landfill Assessment of Corrective Measures (ACM) report. The enclosed plan was prepared by our consultant, EA Engineering, Science and Technology, Inc. to clarify the issue of whether waste is located below the groundwater table.

Thank you in advance for your timely review. We would like to schedule the drilling work this summer. Please contact Rao Malladi, Senior Engineer, at [rao.malladi@montgomerycountymd.gov](mailto:rao.malladi@montgomerycountymd.gov), tel: 240-777-6574 or myself at [peter.karasik@montgomerycountymd.gov](mailto:peter.karasik@montgomerycountymd.gov) or tel: 240-777-6569, if you have any questions.

Sincerely,

Peter R. Karasik, P.E.  
Section Chief, DEP/DSWS Central Operations

PRK:pk

Enclosure

cc: Edward Carlson, Maryland Department of the Environment (MDE), w/encl.  
Brian Coblenz, MDE, w/encl.  
Daniel Locke, Chief, DEP/DSWS  
Rao Malladi, DEP/DSWS  
Daniel Rogers, Jr. DEP/DSWS

---

Division of Solid Waste Services

16101 Frederick Road • Derwood, Maryland 20855 • 240-777-6560 • 301-840-2385 FAX  
[www.montgomerycountymd.gov/solidwaste](http://www.montgomerycountymd.gov/solidwaste) • Located at the intersection of Route 355 and Shady Grove Road

Printed on recycled and recyclable paper